

BEST AVAILABLE COPY

The pending claims are listed and reproduced below.

PENDING CLAIMS

1. (Previously presented) A face lifting wig comprising:
 - a. a substantially thin hair net which is structured to be snugly seated over a person's scalp in covering relation thereto, which has at least two sections that are secured together so as to create a reinforced seam therebetween, and which has a generally resilient border extending around an outer perimeter of said hair net that is configured to retain said hair net over said person's scalp; and
 - b. at least one skin retaining element at the resilient border at an end of the reinforced seam to retain skin over a person's face in a lifted position.
2. (Previously presented) A face lifting wig as recited in claim 1 wherein the hair net sections are secured to one another by stitching.
3. (Previously presented) A face lifting wig as recited in claim 1 wherein the skin retaining element is an adhesive pad.
4. (Previously presented) A face lifting wig as recited in claim 3 wherein the reinforced seam extends from a temple on one side of said person's scalp to a temple on an opposite side of said person's scalp.
5. (Previously presented) A face lifting wig as recited in claim 4 wherein a first adhesive pad is positioned at a first end of the reinforced seam and a second adhesive pad is positioned at an opposite second end of the reinforced seams.

6. (Previously presented) A face lifting wig as recited in claim 1 wherein the resilient border is constructed of a coating of resilient material on the outer perimeter of said hair net.

7. (Original) A face lifting wig as recited in claim 6 wherein said resilient material is polyurethane.

8. (Previously presented) A face lifting wig comprising:

- a. a substantially thin hair net which is structured to snugly seat over a person's scalp in covering relation thereto, which has at least two sections secured together so as to create a reinforced seam therebetween, and which has a generally resilient border extending around an outer perimeter of said hair net structured to retain said hair net over said person's scalp; and
- b. at least one adhesive pad attached to a bottom surface of said border of said hair net at an end of the reinforced seam, which is configured to retain the skin over a person's face in a lifted position.

9. (Previously presented) A face lifting wig as recited in claim 8 wherein the hair net sections are secured to one another by stitching.

10. (Previously presented) A face lifting wig as recited in claim 8 wherein a reinforced seam extends from a temple on one side of said person's scalp to a temple on an opposite side of said person's scalp.

11. (Previously presented) A face lifting wig as recited in claim 10 wherein a first adhesive pad is positioned at a first end of the reinforced seam and a second adhesive pad is positioned at a second end of the reinforced seam.

12. (Previously presented) A face lifting wig as recited in claim 8 wherein the resilient border has a coating of resilient material.

13. (Previously presented) A face lifting wig as recited in claim 12 wherein said resilient material is polyurethane.

14. (Previously presented) A face lifting wig comprising:

- a. a substantially thin hair net which is configured to snugly seat over a person's scalp in covering relation thereto, which has at least two sections secured to one another so as to create a reinforced seam therebetween, and which has a generally resilient border extending around an outer perimeter of said hair net configured to retain said hair net over said person's scalp;
- b. at least one reinforced seam extending from a temple on one side of said person's scalp to a temple on an opposite side of said person's scalp; and
- c. at least one adhesive pad attached to a bottom surface of said border of said hair which is configured to retain skin over a person's face in a lifted position.

15. (Previously presented) A face lifting wig as recited in claim 14 wherein the hair net sections are secured to one another by stitching.

16. (Previously presented) A face lifting wig as recited in claim 14 wherein a first adhesive pad is positioned at a first end of a reinforced seam and a second adhesive pad is positioned at a second end of the reinforced seam.

17. (Previously presented) A face lifting wig as recited in claim 14 wherein the resilient border has a coating of resilient material.

18. (Original) A face lifting wig as recited in claim 17 wherein said resilient material is polyurethane.

19. (Original) A face lifting wig as recited in claim 14 wherein said adhesive pad is double sided tape.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.